

Determinations of plants collected by M. T. DAWE on the Guaji-
ra Peninsula, Colombia, in 1916.

by A. Dugand, unless otherwise noted

- | | | |
|--------|--|-------------------------|
| 502 | <i>Cercidium praecox</i> (R. & P.) Harms | |
| 503 | <i>Libidibia coriaria</i> (Jacq.) Schl. | |
| 504 | <i>Schnella glabra</i> (Jacq.) Dugand | |
| 505 | <i>Coutarea hexandra</i> (Jacq.) Schum. | |
| 506 | <i>Capparis flexuosa</i> L. | |
| 507 | <i>Dactyloctenium aegyptium</i> Willd. | original det. |
| 508 | <i>Manihot</i> ... (not found in USNH) | |
| 509 | <i>Evolvulus glaber</i> Spreng. | Van Oostr. 1934 |
| 510 | <i>Tribulus cistoides</i> L. | original det. |
| 511 | <i>Pithecellobium dulce</i> (Roxb.) Benth. | E.P. Killip |
| 512 | <i>Amphilophium paniculatum</i> (L.) HBK. | original det. |
| 513 | <i>Hybanthus calceolaria</i> (L.) G.K.Schulze | A. Fernandez |
| 514 | <i>Eleocharis</i> ... (not found in USNH) | |
| 515 | <i>Jacquemontia</i> ... (not found in USNH) | |
| 516 | <i>Passiflora foetida</i> var. <i>gossypifolia</i> (Desv.) Mart. | E.P. Killip |
| 517 | <i>Castela erecta</i> Turp. | |
| 518 | <i>Sesuvium</i> ... (not found in USNH) | |
| 519 | <i>Isandrina emarginata</i> (L.) Britt. & Rose | |
| 520 | <i>Tephrosia cinerea</i> Pers. | original det. |
| 520bis | <i>Tephrosia cinerea</i> var. (not found in USNH) | |
| 521 | <i>Bursera tomentosa</i> Tr. & Pl. | original det. |
| 522 | | |
| 523 | <i>Krameria ixina</i> L. | D.H. Hartmann 1941 |
| 524 | <i>Craniolaria annua</i> Jacq. | original det. |
| 525 | <i>Poponax tortuosa</i> (L.) Rafin. | |
| 526 | <i>Scoparia dulcis</i> L. | |
| 527 | <i>Heliotropium curassavicum</i> L. | |
| 528 | <i>Indigofera microcarpa</i> Desv. | original det. |
| 529 | <i>Aristida venezuelae</i> Henrard | A. Chase |
| 530 | <i>Capparis odoratissima</i> Jacq. | original det. |
| 531 | <i>Lonchocarpus sericeus</i> HBK. v. aff. | |
| 532 | <i>Melochia crenata</i> Vahl | V. Rudd and A. Goldberg |
| 533 | <i>Jacquinia revoluta</i> Jacq. in USNH (not Combretum) | |
| 534 | <i>Cenchrus echinatus</i> L. | |
| 535 | <i>Sida</i> ... (not found in USNH) | |
| 536 | <i>Krameria</i> ... (not found in USNH) | |
| 537 | <i>Matelea maritima</i> (Jacq.) Woodson (not <i>Macroscepis</i> , see 540) | |
| 538 | <i>Heliotropium</i> ... (not found in USNH) | |
| 539 | <i>Jacquinia</i> ... (not found in USNH) | |
| 540 | <i>Macroscepis urceolata</i> Karsten (see 537) | |
| 541 | | |
| 542 | <i>Egletes prostrata</i> (Swartz) Ktze | J. Cuatrecasas |
| 543 | <i>Cenchrus pilosus</i> HBK. | D.G. Delisle 1962 |
| 544 | <i>Lonchocarpus punctatus</i> HBK. | |
| 545 | <i>Bursera simaruba</i> (L.) Sargent | |
| 546 | <i>Lonchocarpus atropurpureus</i> Benth. | |
| 547 | <i>Vitex cymosa</i> Bertero | H. Moldenke |

- 548 Coutarea hexandra (Jacq.) Schum.
549 Coccoloba obtusifolia Jacquin
550 Corchorus orinocensis HBK. original det.
550A Neptunia... (not found in USNH)
551 Jacquemontia nodiflora (Desr.) G. Don original det.
552 Manihot... (not found in USNH)
553 Capparis linearis Jacq. original det.
554 Guarea guara (Jacq.) P. Wilson
555 Asplenium... (not found in USNH)
556 Aeschynomene filosa Mart. ex Benth. V.E. Rudd
557 Ramalina sp. (not found in USNH) original det.
558 Ramalina usnea (L.) Howe
559 Mentzelia aspera L. J. Darlington
560 Sapindus saponaria L. original det.
561 Malachra alceifolia Jacq.
562 Bulnesia arborea (Jacq.) Engl.
563 Capparis flexuosa L.
564 Croton ovalifolius Muell.-Arg. original det.
565 Artemisia cumanensis HBK.
566 Diphyssa carthagenensis Jacq.
567 Crotalaria pumila Ort. original det.
568 Stachytarpheta trinitensis Mold. H. Moldenke
569 Clerodendron ternifolium HBK. H. Moldenke
570 Calliandra marginata ~~XXXXXX~~ Griseb.
571 Portulaca pilosa L. original det.
572 Rhizophora mangle L. original det.
573 Sesbania exasperata HBK. original det.
574 Ipomoea/ incarnata (Vahl) Choisy
575 Haematoxylon brasiletto Karst. original det.
576 Plumeriopsis ahouai (L.) Rusby & Woodson
577 Guaiacum officinale L. original det.
578 Stylosanthes hamata (L.) Taub. (host of Cuscuta No. 579)
579 Cuscuta partita Choisy Yuncker
580 Spilanthus urens Jacq. (but lvs. much more narrowly lanceolate)
581 Croton rhamnifolium HBK.
582 Pluchea purpurascens (Sw.) DC. R.K. Godfrey
583 Senegalia polyphylla (DC.) Britt. & Rose
584 Capparis pachaca HBK.
585 Egletes prostrata (Sw.) Kuntze Shinnery 1946
588 Pectis linifolia L.
589 Capparis pachaca HBK.
590 Pithecellobium hymenaeifolium (H. & B.) Benth. E.P. Killip
591 Porophyllum ruderae (Jacq.) Cass.
ssp. macrocephalum x ruderae R.R. Johnson 1964
592 Isandrina emarginata (L.) Britt. & Rose
593 Libidibia punctata (Willd.) Britton
594 Phoradendron quadrangulare (HBK.) Krug & Urb. original det.
595 Angelonia angustifolia Benth.
596 Tribulus... (not found in USNH)
597 Conocarpus erecta L. original det.
599 Cordia sebestena L.

Dugand -3-

600	Apocynaceae	(not found in USNH)
601	Trichilia?	(not found in USNH)
603	Furcraea sp.	material imperfect
604	Furcraea sp.	do. do.

A. Dugand
June, 1966.